
LISTA VEHICLE WORKSHOP EQUIPMENT

THE HIGH-END SOLUTION FOR YOUR WORKSHOP





THE BRAND OF BRANDS

LISTA workspace equipment has been tried and tested hundreds of thousands of times in the vehicle and automotive sector. All major brands rely on the high-quality system that flexibly fulfils every customer requirement from single drawer cabinets to fully integrated work lines. The modular design and excellent quality ensure that LISTA applications fit perfectly, are durable and robust. The special industry requirements are implemented in detail. This enables you to benefit from a personalised, coherent solution that makes your workshop betterorganised, more efficient and even more visually appealing.

Put your faith in superior quality and durability – just as leading automotive brands worldwide do.





SUPERIOR KNOW-HOW FOR YOUR WORKSHOP

The right solution for every vehicle type: LISTA has exactly the workshop equipment you need. Efficient, reliable and tailored to your individual requirements.

MOTOR VEHICLES



RACING



UTILITY VEHICLES



MOTORCYCLES



PERFECTION IN LOOK AND FEEL LISTA WORKSHOP MODULES

Sophisticated, consistent and perfectly organised: LISTA knows what is important in the automotive industry. That's why LISTA offers a wide range of needs-based modules, superstructures and accessories to equip your workshop to the highest standards.

Maximum functionality and consistent design ensure top ergonomics – thereby reliably increasing the efficiency and productivity of typical workflows. And that's not to mention the prestigious look.





Variable locking systems

From standard locks with replaceable cylinders to fully electronic locking solutions, there are four intelligently tiered locking systems to choose from, including an RFID lock with mobile control, e.g. via smartphone.



Waste disposal

Customised LISTA cabinets and containers are available for the disposal of typical waste materials and scrap.



Stainless steel countertops

Countertops in stainless steel meet the most stringent requirements in terms of reliability, robustness and durability.



Stainless steel base

Elevated feet ensure ground clearance and optimum ease of cleaning. Individually manufactured stainless steel covers reliably protect against dirt and corrosion.





Partition material

The extensive range of partition materials for LISTA drawers – slotted partitions, metal dividers, troughs, foam inserts and more – provide secure and neat storage of all parts and tools.



Electric power, compressed air, oil and water

Special and customised solutions for the supply of electric power, compressed air, water and other liquids perfectly and flexibly fulfil the requirements typical of this sector.



Accessories

Numerous accessories such as perforated panels, containers, vices and more ensure an ideal supply and storage of materials.



Free-standing modules

Free-standing modules help you to exploit available space to the full even with no supporting walls.

A WORTHWHILE INVESTMENT BENEFIT FROM OUR KNOW-HOW

Workshop equipment from LISTA makes it easy for you. The modular system can be flexibly adapted and variably designed to create optimal solutions. Whatever you expect: LISTA workshop equipment not only makes processes efficient and workstations

ergonomic. It conveys competence and contributes to long-term customer loyalty. Last but not least, it is supplied from a single source and therefore offers you excellent service from consultation to installation and maintenance.

OUR SERVICES



Advice, planning and visualisation



Individual engineering



Installation and maintenance

YOUR BENEFITS

LISTA provides security. As one of the leading manufacturers of workshop and workspace equipment worldwide, we offer our customers decisive added value:



Competency

LISTA stands for many years of experience in equipping vehicle workshops and renowned names in the automotive sector. Our solutions optimally meet the high, changing demands of the industry.




Success

LISTA demonstrably contributes to higher productivity and efficiency. For us, the joint success and satisfaction of our customers are the motivation and basis for a long-term and trusting partnership.



Passion

For us, performance is more than just a matter of function. We want to inspire. With reliability, professionalism and efficiency in execution. LISTA not only provides you with a first-class product, but also a compelling complete solution.





PRECONFIGURED WORKSHOP SOLUTIONS



- czi Accessible hinged-door cabinet
- Disposal cabinet
- Mobile drawer cabinet
- Drawer cabinet, stationary
- Media supply cabinet Compact
- Media supply tower
- Perforated rear panel
- Countertop
- Power conduit
- Monitor overhead cabinet
- Overhead cabinet
- Roller shutter overhead cabinet

Workshop solution I

Focused and flexible

Width 2000 mm 800 mm Depth Height 1100 mm



Module combination



The toolbox as an ideal addition, see page 11

Workshop solution II

Ideal as a compact workshop solution

Width 2360 mm Depth 860 mm Height 1650 mm



Module combination









Workshop solution III

Conceived for ambitious use

Width 3445 mm 860 mm Depth 1950 mm Height



Module combination





Workshop solution IV

No compromises on function or ergonomics

4720 mm Width Depth 860 mm Height 2000 mm



Module combination









SINGLE MODULES



| Fea | tures |
|------|---|
| 1 ad | justable shelf |
| Leve | elling foot set for cover plates (4×feet) |

| | | /2311111 | 030111111 |
|---------------|--------|------------|------------|
| Doors mounted | W→ | LISTA unit | ltem no. ╬ |
| right | 411 mm | 18×36 E | 69.941.XXX |
| left | 411 mm | 18×36 E | 69.942.XXX |
| right | 564 mm | 27×36 E | 69.943.XXX |
| left | 564 mm | 27×36 E | 69.944.XXX |
| right | 717 mm | 36×36 E | 69.945.XXX |
| left | 717 mm | 36×36 E | 69.946.XXX |
| | | | |





FeaturesWithout floor, without threshold, levelling foot set for panels (4×feet)

| Doors mounted | W→ | LISTA unit | ltem no. 🞇 |
|---------------|--------|------------|------------|
| right | 717 mm | 36×36 E | 69.903.XXX |
| left | 717 mm | 36×36 E | 69.902.XXX |

7 725 mm

C2 Disposal cabinet



Load capacity: 200 kg Levelling foot set for cover plates (4×feet)

Features

| Capacity | W > | LISTA unit | ltem no. ╬ |
|----------|-------------------|------------|------------|
| 1×601 | 411 mm | 18×36 E | 69.937.XXX |
| 2 × 601 | 564 mm | 27×36 E | 69.938.XXX |
| 4 × 601 | 1023 mm | 54×36 E | 69.939.XXX |

D 7 725 mm H 1 850 mm

C3 Mobile drawer cabinet



| | | D 71 72 | 25 mm H ↑ | 890 mm |
|---|---------------|---------|------------|------------|
| Number of drawers | Load capacity | W→ | LISTA unit | ltem no. 🞇 |
| 3: 1×100 mm, 1×200 mm, 1×300 mm | 200 kg | 717 mm | 36×36 E | 69.927.XXX |
| 5: 1×50 mm, 2×100 mm, 1×150 mm, 1×200 mm | 75 kg | 717 mm | 36×36 E | 69.928.XXX |
| 6: 2×75 mm, 3×100 mm, 1×150 mm | 75 kg | 717 mm | 36×36 E | 69.929.XXX |

Our advantage: Above-average usable drawer area of $612\times612\,\text{mm}$ Other cabinet dimensions and drawer heights available

C4 Drawer cabinet, stationary



| , | | | | |
|--|---------------|--------|------------|--------------|
| Number of drawers | Load capacity | W-> | LISTA unit | ltem no. ╬ |
| 4: 1×100 mm, 1×150 mm, 1×200 mm, 1×300 mm | 200 kg | 717 mm | 36×36 E | 79.498.XXX** |
| 5: 1×50* mm, 2×100 mm, 1×200 mm, 1×300 mm | 200 kg | 717 mm | 36×36 E | 14.505.XXX** |
| 5: 1×100 mm, 3×150 mm, 1×200 mm | 75 kg | 717 mm | 36×36 E | 14.410.XXX** |
| 7: 2×75 mm, 3×100 mm, 2×150 mm | 75 kg | 717 mm | 36×36 E | 14.409.XXX** |
| 8: 1×50 mm, 2×75 mm, 4×100 mm, 1×150 mm | 75 kg | 717 mm | 36×36 E | 14.408.XXX** |

Optionally with drawers with a power supply through a selection of power modules, see page 12 Our advantage: Above-average usable drawer area of $612 \times 612 \, \text{mm}$

Other cabinet dimensions and drawer heights available

* Load capacity max. 75 kg/** Levelling feet can be ordered optionally if required.

D 7 725 mm H 1 850 mm

SINGLE MODULES



| | | 0 71 72 | .5111111 | 030111111 |
|--|-----------|---------|------------|------------|
| Features | Hose port | W→ | LISTA unit | ltem no. 👭 |
| 1 drip tray | 1 | 411 mm | 18×36 E | 69.930.XXX |
| Levelling foot set for cover plates (4×feet) | 2 | 411 mm | 18×36 E | 69.931.XXX |
| | 2 | 564mm | 27×36 E | 69.932.XXX |
| | 3 | 717 mm | 36×36 E | 69.933.XXX |
| | 4 | 1023 mm | 54×36 E | 69.934.XXX |



| Features | Hose port | Cut-outs for modules | 400 V Socket outlet* | W→ | LISTA unit | ltem no. 👭 |
|--|-----------|-------------------------|-------------------------|--------|------------|------------|
| Hose gates in combination | 2 | 2 | _ | 411 mm | 18×36 E | 69.990.XXX |
| with energy modules Order option: additionally incl. | 2 | 2 | available | 411 mm | 18×36 E | 69.991.XXX |
| 400 V socket Levelling foot set for cover | 2 | 2 | _ | 564mm | 27×36 E | 69.992.XXX |
| plates (4×feet) | 2 | 2 | available | 564 mm | 27×36 E | 69.993.XXX |

^{*}The electrical connection must be installed by the customer.

64×36 E

7 725 mm H ↑

69.935.XXX



| Features |
|--|
| 2 drip trays |
| Levelling foot set for cover plates (4×feet) |
| Overhead cabinet panels can be used on |
| request for individual control unit. |

| | D 71 72 | !5 mm H ↑ | 2000 mm |
|-----------|---------|------------|------------|
| Hose port | W→ | LISTA unit | ltem no. ╬ |
| 2×3 | 1023 mm | 54×36 E | 69.898.XXX |
| 2×4 | 1023 mm | 54×36 E | 69.925.XXX |

1193 mm



C6 Power module cabinet

Combination 1

1×switch/socket 230 V*, 2×2 sockets 230 V 2×2 network sockets RJ45, levelling foot set for cover plates

2×2 network sockets RJ45, levelling foot set for cover plate (4×feet)

Combination 2

 $1 \times switch/socket~230~V^*,~2 \times 2~sockets~230~V~2 \times DN7~compressed~air~connections~(inlet:~push-on~nipple:~DN5;~outlet:~quick-release~coupling~DN5),~levelling~foot~set~for~cover~plates~(4 \times feet)$

| Туре | W→ | LISTA unit | ltem no. ╬ |
|------|-------------------------|-----------------------|------------------------|
| CH | 411 mm | 18×36 E | 69.910.XXX |
| D/PE | 411 mm | 18×36 E | 69.912.XXX |
| F | 411 mm | 18×36 E | 69.914.XXX |
| GB | 411 mm | 18×36 E | 69.916.XXX |
| СН | 411 mm | 18×36 E | 69.911.XXX |
| D/PE | 411 mm | 18×36 E | 69.913.XXX |
| F | 411 mm | 18×36 E | 69.915.XXX |
| GB | 411 mm | 18×36 E | 69.917.XXX |
| ** | CH version: 1v eversure | nt protection instead | of cocket outlet 2201/ |

D 7 725 mm H 1



S1 Rear panel, perforated

Features

Non-screwed fastening Square perforation 10×10 mm Holder for storage shelves and various keyhole hooks

Also available as a plain version.

| W→ | ltem no. 👭 |
|---------|------------|
| 665 mm | 89.037.XXX |
| 750 mm | 89.038.XXX |
| 1000 mm | 89.039.XXX |
| 1330 mm | 89.040.XXX |
| 1500 mm | 89.041.XXX |
| 2000 mm | 89.042.XXX |
| - | |

^{*}The electrical connection must be installed by the customer.

^{*}CH version: 1×overcurrent protection instead of socket outlet 230 V.

S2 Countertops

Self-supporting countertops, length individually selectable.

Versatile, dirt-repellent and largely resistant to oil and grease

Nitrile tops

Technical 4 mm natural rubber surface, anti-slip and shock-resistant, damping and oil and fuel resistant

ABS tops

Broad application, hard 2 mm ABS structure surface, high scratch and impact resistance, resistant to oil and grease

| Тор | Item no. |
|-----------|------------|
| Multiplex | 39.344.000 |
| Nitrile | 39.952.000 |
| ABS | 42.519.000 |

800 mm H 1 40 mm

W→

717 mm

717 mm

Other top thicknesses or types for different application areas on request.

W1 Monitor overhead cabinet



Features Full glass door made from safety glass Punch-outs for power supply Lock: KEY Lock

Figure incl. optional adjustable shelf: 69.889.xxx



Doors mounted

right

left



D 7 350 mm



W→

1000 mm

420 mm

250 mm

800 mm

Item no. 🐫

69.885.XXX

69.886.XXX

Item no. 🞇 69.861.XXX



W2 Overhead cabinet with sliding doors

Features

Solid sheet sliding door Punch-outs for power supply Lock: KEY Lock Load capacity: 40kg

Optional: Adjustable shelf, 69.883.xxx

Also available with 800 mm height

W3 Roller shutter overhead cabinet



Features Aluminium roller shutter, self-locking spring-loaded winding. High usable depth: 215 mm, punch-outs for power supply. Incl. integrated perforated rear panel with 10 × 10 square perforation and 38 mm partitioning. Standard locking, KEY Lock. Optionally with integrated cable conduit and adjustable shelves.

| Floor | W→ | H | ltem no. 🞇 |
|-------|---------|---------|------------|
| yes | 1500 mm | 800 mm | 69.850.XXX |
| yes | 2000 mm | 800 mm | 69.851.XXX |
| no* | 1500 mm | 1050 mm | 69.852.XXX |
| no* | 2000 mm | 1050 mm | 69.853.XXX |

D 7 572 mm

*For installation on countertops.

H 1090 mm¹

Item no. 🥌

69.561.XXX

Toolbox



Mobile toolbox

9 drawers in 3 drawer widths Folding countertop with flush finish Multiplex cover panel, 30 mm Perforated side panel Perforated rear panel (usable height 360 mm) Rubber castors, Ø 160 mm, incl. push handle

W→ 1193 mm

| Number of drawers mm | kg | |
|----------------------|----|---------|
| 64E: 2×100 | 75 | |
| 36 E: 2×150, 1×200 | 75 | KEY Loc |
| 18 E: 2×150, 2×100 | 75 | |

¹ Height without perforated rear panel

POWER/CLASSIFICATION/ACCESSORIES

S3 Power conduit

Rear power panels and housings

Rear power panels for individual integration of a wide range of power modules



Rear power panel



Power enclosure

Power modules



Power module 1 1×switch 1×socket outlet 230 V



Power module 1 type CH 1× overcurrent protection (thermal fuse 10 A) 1× switch



Power module 2 2×socket 230 V



Power module 3 1×single-pin circuit breaker 16 A (CH: 10 A)



Power module 4 1×Fl safety switch 25A/30mA



Power module 6 Emergency stop button



Blank cover for the subsequent addition of power modules



Power module 7 2×2 RJ45 network sockets, without network cable, plug + play, cat 6



Power module 8 2×DN7 compressed air connections, input: DN5 plug-in nipple, output: DN5 quick-release coupling



Power module 9 1×socket outlet 230 V 2×power USB




Power module 10 1×socket outlet 230 V 1×RJ45, without network cable, plug + play, cat 6



Power module 11 1×overcurrent protection (thermal fuse 10 A) 1×socket outlet 230 V


Partition material





Plastic boxes, troughs, anti-slide mats, dividers and more: the right partition material brings order to your LISTA drawers and also ensures more efficient workflows and increased productivity.

Accessories



Accessories such as hooks, lights or desk chairs complete your LISTA system. Design each workstation ergonomically and precisely to suit your individual requirements.

LOCKING SOLUTIONS

Variable locking systems



KEY Lock Standard locking system with replaceable cylinder – also available as a master key system or simultaneously lockable



CODE Lock


Direct keyless access via a 4-6 digit code with up to 100 different user codes



RFID Lock

Same access as the CODE Lock with additional control option via RFID badge or RFID card

The LISTA AUTO Lock offers you the same functionality as our CODE/RFID Lock, except that it opens and closes automatically.




FOR ALL WHO EXPECT MORE

COMPLEMENTARY PRODUCTS AND SOLUTIONS

In addition to special workshop modules and solutions, the LISTA system enables you to provide consistent workspace equipment through all rooms and applications. From the additional workbench to suitable storage shelves and clothes lockers, you benefit from a uniform design and first-class quality. As always with LISTA, there are numerous equipment and customisation options to optimally meet your individual requirements.



Workbenches/workstations/ESD workstations



Testing/Inspection workstations



Cabinets

COLOUR YOUR WORKSPACEFREE CHOICE OF COLOURS

LISTA workspace equipment is available in twelve standard colours, six predefined colour combinations and, on request, any other colour and colour combination. This allows you to design your workshop with complete flexibility and individuality. Different colours for different work areas, coloured accents to increase clarity or complete company facilities in the corporate design: it's all possible. All you need to do is contact us.















.070 Ruby Red RAL 3003



.090 Gentian Blue RAL 5010

.100 Signal Blue RAL 5005





Light Grey RAL 7035 Pale blue RAL 5012





Light Grey RAL 7035 Metallic Grey NCS S 6502-B





.522

Ruby Red RAL 3003 Metallic Grey NCS S 6502-B



FORM RIGHT DOWN THE LINE: EDGE LINE

- \cdot Vertical light strip along the cabinet front left and right
- · Colour white


FORM TO THE POINT: EDGE DOTS

- · Individually controlled LED elements on the handle corners
- · Available in four colours (with optional myDOTS software package, colour mixing and intensity can be individually adjusted)

REFERENCES

With LISTA you are in good company. All major and well-known vehicle manufacturers rely on our solutions. Numerous workshops, including the service centres of well-known brands such as Porsche, Jaguar or AMG, work with the LISTA system. We have a long-standing

partnership with many of the world's leading racing teams. In total, more than 100,000 companies are on our customer list. Our know-how makes us a strong partner in the automotive sector.



















©ntinental**⅓**











































REFERENCES











THERE FOR YOU ALL OVER THE WORLD





LISTA is there for you, on several continents, in many different locations. In addition to our two plants at the headquarters in Erlen (Switzerland) and in Bergneustadt (Germany), we also look after and advise our customers through our international sales branches in Europe and China. A close-knit network of retail partners tops off the service that we offer.







LISTA Group locations

Switzerland, Germany, Austria, France, Italy, England, Spain, China



Founding

1945

Headquarters

Erlen (TG), Switzerland



Production sites

Erlen (CH), Bergneustadt (DE)

ORDERING AND CONTACT

Lista AG Switzerland

Fabrikstrasse 1 CH-8586 Erlen

Telephone +41 71 649 21 11 Fax +41 71 649 22 03 info@lista.com

Lista Italia s.r.l. Italy

Telephone +39 02 935 70 196/362 Fax +39 02 935 70 417 info.it@lista.com

Lista GmbH Germany

Brückenstrasse 1 D-51702 Bergneustadt

Telephone +49 2261 40 30 Fax +49 2261 40 32 22 info.de@lista.com

Lista France France

Telephone +33 4 50 31 71 71 Fax +33 4 50 31 71 79 info.fr@lista.com

Lista Austria GmbH Austria

Telephone +43 1 291 20 Fax +43 1 291 204 info.at@lista.com

Lista Sistemas de Almacenaje, S. Spain

Telephone +34 938 575 927 info.es@lista.com

Lista (UK) Ltd. United Kingdom

Telephone +44 1 908 222 333 Fax +44 1 908 222 433 info.uk@lista.com


LISTA SERVICES

At www.lista.com you will find a platform with information, images, videos and contact options for our products and services: up-to-date, clearly arranged and around the clock. It's worth taking a look. We look forward to seeing you.



Information materials

Find out more about LISTA products and our expertise in workshop and workspace equipment: www.lista.com – Services – Downloads



Configurator

Discover over 12,000 pre-configured products including accessories: www.lista.com – Configurator

After sales

Contact us: www.lista.com - Services - After Sales



Spare parts



Customer service



Social media





For more information, videos and more, follow us on:







Feedback